

KUADRA 2.0 G+F IN LINE



200 cm



8 mm
Door



6 mm
fixed panel



4 cm



4 cm




4 cm

SHOWER DOOR, 1 HINGED DOOR + 1 FIXED PANEL IN LINE

OR COMBINED WITH THE OPTIONAL SIDE PANEL KUADRA 2.0 F SHOWN ON PAGE 180

Dimensions					Code	Glass	Profile	
Shower tray Size	Actual size	Fix panel in line	Access	Door projection		1	K	H
	A	F1	*	B		Clear	Chrome	Matt Black
100	97↔101	31	51	52	K2GFL97U-	●		
110	107↔111	31	61	62	K2GFL107U-	●		
-	113↔117	38	61	62	K2GFL113U-			
120	117↔121	41	61	62	K2GFL117U-	●		
130	127↔131	51	61	62	K2GFL127U-	●		
140	137↔141	51	68	69	K2GFL137U-	●		
150	147↔151	61	68	69	K2GFL147U-			
-	153↔157	68	68	69	K2GFL153U-			
160	157↔161	71	68	69	K2GFL157U-			
-	163↔167	68	78	79	K2GFL163U-			
170	167↔171	71	78	79	K2GFL167U-			
180	177↔181	81	78	79	K2GFL177U-			

DOOR AND PANEL REVERSIBLE



**GLASS TYPE**

Clear
code 1

PROFILE COLOURS

Chrome
code K



Matt Black
code H

TECHNICAL DATA

PROFILE COLOURS



Chrome
code K



Matt Black
code H


GLASS TYPE 6 mm (European Standards UNI EN 14428)



Clear
cod. 1




OVERALL DIMENSIONS FIXING PROFILES




STANDARD PROFILE

Height	Profile	Code
200	Chrome	P01BWMOST-K
	Matt Black	P01BWMOST-H

HOW TO TAKE THE MEASUREMENTS



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.