

YOUNG PLUS G+F IN LINE



200 cm



8 mm




4 cm



SHOWER DOOR, 1 HINGED DOOR + 1 FIXED PANEL IN LINE





Dimensions					Code	Right	Left	Glass		Profile			
Actual size	Glass centered	Fix panel in line	Access	Door projection		D-	S-	1	44	D	B	K	H
A	G	F1	*	B				Clear	Band satin	White	Silver	Chrome	Matt Black
DOOR REVERSIBLE													
107↔111	105,4↔109,4	33	68	69	YPLUSGFL107-			-					
114↔118	112,4↔116,4	40	68	69	YPLUSGFL114-			-					
117↔121	115,4↔119,4	43	68	69	YPLUSGFL117-			-					
134↔138	132,4↔136,4	50	78	79	YPLUSGFL134-			-					
137↔141	135,4↔139,4	53	78	79	YPLUSGFL137-			-					
147↔151	145,4↔149,4	63	78	79	YPLUSGFL147-			-					
154↔158	152,4↔156,4	70	78	79	YPLUSGFL154-			-					
157↔161	155,4↔159,4	63	88	89	YPLUSGFL157-			-					
164↔168	162,4↔166,4	70	88	89	YPLUSGFL164-			-					
167↔171	165,4↔169,4	73	88	89	YPLUSGFL167-			-					
177↔181	175,4↔179,4	83	88	89	YPLUSGFL177-			-					
DOOR NOT REVERSIBLE													
107↔111	105,4↔109,4	33	68	69	YPLUSGFL107	D-	S-	-					
114↔118	112,4↔116,4	40	68	69	YPLUSGFL114	D-	S-	-					
117↔121	115,4↔119,4	43	68	69	YPLUSGFL117	D-	S-	-					
134↔138	132,4↔136,4	50	78	79	YPLUSGFL134	D-	S-	-					
137↔141	135,4↔139,4	53	78	79	YPLUSGFL137	D-	S-	-					
147↔151	145,4↔149,4	63	78	79	YPLUSGFL147	D-	S-	-					
154↔158	152,4↔156,4	70	78	79	YPLUSGFL154	D-	S-	-					
157↔161	155,4↔159,4	63	88	89	YPLUSGFL157	D-	S-	-					
164↔168	162,4↔166,4	70	88	89	YPLUSGFL164	D-	S-	-					
167↔171	165,4↔169,4	73	88	89	YPLUSGFL167	D-	S-	-					
177↔181	175,4↔179,4	83	88	89	YPLUSGFL177	D-	S-	-					

OPTIONAL



LOWER HORIZONTAL GASKET
FOR ASSEMBLY WITHOUT LOWER SEAL PROFILE

Code	Price
R55SPB8A01-TR	



084 Construction of the Code: **Code** + **Left / Right** + **Glass** + **Profile** = Final product Code



GLASS TYPE



Clear
code 1



Band Satin
code 44

PROFILE COLOURS



White
code D



Silver
code B




Chrome
code K




Matt Black
code H

TECHNICAL DATA

PROFILE COLOURS



White
code D



Silver
code B




Chrome
code K



Matt Black
code H

GLASS TYPES 8 mm (European Standards UNI EN 14428)




Clear
code 1




Band Satin
code 44

OVERALL DIMENSIONS FIXING PROFILES




WALL

Height	Profile	Code
1984	White	P01BNMOBST-A
	Silver	P01BNMOBST-B
	Chrome	P01BNMOBST-K
	Black	P01BNMOBST-H
2000	White	P01BNMOAST-A
	Silver	P01BNMOAST-B
	Chrome	P01BNMOAST-K
	Black	P01BNMOAST-H



WALL

Height	Profile	Code
1984	White	P01Y2MOBSTL-A
	Silver	P01Y2MOBSTL-B
	Chrome	P01Y2MOBSTL-K
	Black	P01Y2MOBSTL-H
2000	White	P01Y2MOASTL-A
	Silver	P01Y2MOASTL-B
	Chrome	P01Y2MOASTL-K
	Black	P01Y2MOASTL-H




EXTENSION


Deeper wall profile (+ 15 mm adjustability)

Height	Profile	Code
1984	White	P05Y2ST-A
	Silver	P05Y2ST-B
	Chrome	P05Y2ST-K
	Black	P05Y2ST-H
2000	White	P05Y2ST2-A
	Silver	P05Y2ST2-B
	Chrome	P05Y2ST2-K
	Black	P05Y2ST2-H

HOW TO TAKE THE MEASUREMENTS



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.

